Vinyl Carpentry®

Soffit and Vertical Siding



CHAMFER BOARD[™] DOUBLE 5"

The authentic look of beveled-edge wood plus the durability of vinyl siding.



Combines the attractive appeal of wood with the rigidity and durability of premium extra-thick vinyl.



BEADED TRIPLE 2"

The classic appearance of wainscoting offers the look of fine detailing and craftsmanship.

UNIVERSAL TRIPLE 4" & DOUBLE 5"

Beautifies the overhangs of any home and delivers outstanding performance, quality and durability.



Triple 3-1/3" InvisiVent has the highest ventilation performance of any vinyl soffit available today.

TRIPLE 3-1/3"

Soffit: Siding: Triple 3-1/3" InvisiVent Soffit in colonial white. CedarBoards Double 6" Clapboard in sable brown.

> Perimeter Triple 3-1/3" offers a smooth, flat surface and provides the perfect balance of aesthetics and performance.

PERIMETER[®] TRIPLE 3-1/3'

Front Cover

Soffit: Triple 3-1/3" InvisiVent Soffit in colonial white. Siding: Cedar Impressions Double 7" Straight Edge Perfection in buckskin.

Trim: Vinyl Carpentry & Restoration Millwork.

Shown Here

Soffit: Perimeter Triple 3-1/3" Soffit in colonial white. Siding: Cedar Impressions Double 7" Perfection Shingles in charcoal gray.

Trim: Vinyl Carpentry & Restoration Millwork.

, SOFFIT

PROPER VENTILATION

Ridge Vents (exhaust)

Soffit Vents (intake)

Protection against damage to the roofing materials and structure increase comfort inside the home and energy savings.



Experts agree that the most effective system is a balance of air intake and exhaust that creates a uniform flow of air through the attic.

This system creates a condition in which the roof temperature is equalized from top to bottom, supplying a uniform air flow along the entire underside of the roof deck.

overhang as short as 10".

Triple 3-1/3" InvisiVent and Hidden Vent offers at least 50% more ventilation than most standard vinyl soffit, providing more than 10" of net-free intake area. This means that not only will InvisiVent provide a balanced ventilation system, but will do so with an Hidden vents provide a smooth, flat non-perforated surface versus most vented soffits with unsightly perforations.



Triple 3-1/3" InvisiVent



Standard vented soffit

TECHNICAL VENTILATION REQUIREMENTS

Soffit Profile	Net-free intake area/ Square Foot	Panel Thickness
Triple 3-1/3" InvisiVent	10″	.044″
Perimeter Triple 3-1/3" Hidden Vent	9.65″	.040″
Ironmax Double 5" Fully Vented	6.4"	.046″
Beaded Triple 2" Invisibly Vented	1.6″	.039″
Universal Triple 4" Fully Vented	5.9″	.040″
Universal Triple 4" Center Vented	2"	.040″
Universal Double 5" Fully Vented	6.4"	.040″
Value Triple 4" Fully Vented	5.9″	.036″
Value Triple 4" Center Vented	2"	.036″
Value Double 5" Fully Vented	6.4"	.036″

Triple 3-1/3"

- 7 low-gloss colors.
- Heavy-duty .044" thickness for rigidity. InvisiVent is the only vinyl soffit to provide more than 10 inches of
- net-free intake area. InvisiVent^{*†} and solid styles.
- Matte finish looks like freshly painted wood.
- Concealed intake vents provide a smooth appearance
- Deep 3/4" panel projection creates sharp definition.

Perimeter Triple 3-1/3"

- 8 low-gloss colors.
- .040" thickness.
- Hidden vent style provides up to 9.65" of net-free intake area.
- Solid and hidden vent styles.[†]

Chamfer Board[™] Double 5″

- Extra thick .044" construction.
- Solid soffit.
- Designed for vertical siding and porch ceiling.
- Available in Colonial White

Ironmax[™] Double 5″

- 10 low-gloss woodgrain colors
- (sable brown for soffit applications only). Extra-thick .046" construction for optimum
- strength and flat face appearance. 6.4" of net-free air per sq. ft. - fully vented.
- Solid and fully vented styles.[†]
- Designed for vertical siding, porch ceiling and soffit applications.
- Unique post-formed lock design helps ensure secure installation.

Beaded Triple 2"

- 7 low-gloss colors.
- .039" thickness.
- 1.6" of net-free air per sq. ft. invisibly vented.
- Wainscot style in solid and invisibly vented.[†]
- Designed for vertical siding, porch ceiling and soffit applications.
- Smooth finish appearance of professionally applied paint.
- Extra-long slip-lock design helps provide secure installation.

Universal Triple 4"

- 29 low-gloss colors.
- .040" thickness.
- 5.9" of net-free air per sq.ft. fully vented.
- 2" of net-free air per sq. ft. center vented.
- Solid, fully vented and center vented styles.[†]
- Matte finish.
- Designed for vertical siding, porch ceiling and soffit applications.
- Post-formed lock design helps provide secure installation.

Universal Double 5"


- 9 low-gloss colors.
- .040" thickness with partial roll over nail hem
- 6.4" of net-free air per sq. ft. - fully vented.
- Solid and fully vented styles.[†] Woodgrain finish.
- Soffit applications only for both styles.

Value Triple 4" & Double 5" Soffit

Triple 4": colonial white, desert tan, natural clay, sandstone beige, savannah wicker, snow. Double 5": colonial white.

All CertainTeed Soffits Feature:

- Virtually maintenance free, never needs painting.
- Class 1(A) fire rating Lifetime limited warranty. ٠




5/8'

5"

9/16"

9/16"



5″

5″



color performance, resistance and durability. Utilizing the newest technology and



້ທ

້ຄ

ň

້ຄ

ັ້ມ


4


** PREMIUM COLORS **†** SOFFIT USE ONLY

† Vented soffits are for soffit use only. Center vented soffits available in Colonial White and Snow only.


NOTE: Colors throughout this brochure are simulated. Consult product samples before making final selection.

7/16





5″ 5″ 7/16"



5'

CertainTeed products are designed to work together and complement each other in color and style to give any home a beautiful finished look.



POLYMER SHAKES & SHINGLES



SOFFIT







DECKING AND RAILING



VINYL SIDING



PVC EXTERIOR TRIM & BEADBOARD



HOUSEWRAP



MOLDED FENCE



INSULATED SIDING



VINYL CARPENTRY[®] TRIM



ROOFING AND VENTILATION



EXTRUDED FENCE



facebook.com/CertainTeed



YouTube youtube.com/certainteedsaintgobain



CertainTeed

CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM 20 Moores Road Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com